



الاساسية
AL-ASASYAH



سر تفوقنا ثقتكم بنا منذ 1961



CATEGORY
PORTFOLIO

FINAL DISTRIBUTION

Assurance of Safety, For your Home & Facility



3 Series

3 Series Miniature Circuit Breakers



Rated current: 1-125A
Pole: 1P/1P+N/2P/3P/3P+N/4P
Breaking capacity: 6kA

3 Series RCBO



Rated current: 6A-63A
Pole: 1P+N/2P/3P/3P+N/4P
Breaking capacity: 6kA

3 Series RCCB & Switch Disconnectors



Rated current: 10A-100A
Pole: 2P/4P

Rated current: 20A-125A
Pole: 1P/2P/3P/4P

3 Series Accessories



9 Series

9 Series Miniature Circuit Breakers



Rated current: 1-63A
Pole: 1P/2P/3P/4P
Breaking capacity: 6kA, 10kA

9 Series RCBO



Rated current: 6A-63A
Pole: 1P+N/2P/3P/3P+N/4P
Breaking capacity: 6kA

9 Series Switch Disconnectors



Rated current: 32A-125A
Pole: 1P/2P/3P/4P

9 Series Accessories



FINAL DISTRIBUTION

HDPZ50 & HEDB Consumer Boxes



HDPZ50



HEDB

Rated current: 100A
Protection grade: IP30
Material: Full plastic/metal

HDCH8S Modular Contactors



HDCH8S

Rated current: 16A-63A
Pole: 2P/3P/4P

HJXF Metal Enclosures



HJXF

Thickness: 1.0-1.5mm
Protection grade: IP43/IP54
Material: Metal

HDY3N Surge Protective Devices



HDY3N

Type II
Max discharge current:
20KA, 40KA, 65KA, 80KA, 120KA, 160KA
Pole: 1P/1P+N/2P/3P/3P+N/4P

HBBT Comb Busbars



HBBT

Pole: 1P/2P/3P/4P
Material of busbar: E-CU-F25
Type: PIN-type/U-type

Safe supply, unparalleled performance, and flexibility

Final Distribution is a critical part of power distribution construction. Himel's widely trusted products are suitable for residential applications, equipment manufacturing, panel building, and electrical power systems - easy to install and provide reliable protection for the end-use.

LOW VOLTAGE DISTRIBUTION

Value Engineered to Match Industry Standards



HDM3 Molded Case Circuit Breakers



HDM3

Rated current : 10-1600A
Pole: 3P/4P
Sharing accessories for 3/3E/3L
Certificates:CB,CE,TUV,KEMA

HDM3S TM Adjustable Molded Case Circuit Breaker



HDM3S

Rated current : 25-630A
Pole: 3P/4P
TM adjustable
Thermal & Magnetic
Certificates:CB,CE,TUV

HDM3E Electronic Circuit Breakers



HDM3E

Rated current: 32-1600A
Pole: 3P/4P
Sharing accessories for 3/3E/3L
Certificates:CB,CE,TUV

HDM2 Molded Case Circuit Breakers



HDM2

Rated current: 10-125A
Pole: 1P/2P
Certificates:CB,CE,SEMKO

HDM3L Earth-Leakage Circuit Breakers



HDM3L

Rated current : 16-630A
Pole: 3P/4P
Sharing accessories for 3/3E/3L
Certificates: CE

HDM2L Earth-leakage Circuit Breaker



HDM2L

Rated current : 16-250A
Pole: 2P
Adjustable residual current protection
Adjustable time delay

LOW VOLTAGE DISTRIBUTION

HDW3 Air Circuit Breakers



HDW3

Rated current : 400A-6300A
Pole: 3P/4P
3 types of intelligent controllers
Certificates:KEMA

HDGL Switch Disconnectors



HDGL

Rated current: 16-3150A
Pole: 3P/4P

ATSE Automatic Transfer Switch Controllers



ATSE

3 kinds of power interlock available
Suitable for ACB application

HRT Fuse



HRT16

Rated current: 2-630A
Certificates:CB,CE



HRT18

Rated current: 2-63A
Certificates:CB,CE

HDQ3HB Automatic Transfer Switch



HDQ3HB

Rated current In: 16 - 630A
Poles: 3 & 4
Integrated or split intelligent controller

Ensuring safe, reliable, and efficient power supply

Himel Low-Voltage Distribution product facilitate affordable, efficient and reliable electrical infrastructure so that you utilize electricity with utmost safety. Tested against regional and international quality standards, Himel products ensure reliable power supply anywhere, anytime.

METERING

Efficient Metering and Monitoring at Affordable Prices



HP606 Digital Panel Meters



HP606

Meter model: Amperemeter, Voltmeter, Combination meter, Multifunction Meter
Connection type: Single-phase / Three-phase
Accuracy: class 0.5
Frequency: 45-65Hz
Dimension types: 3 types (96, 72, 48)

H72 & H96 Panel Meters



H96



H72

Specification: 72x72mm, 96x96mm
Type: Ammeter, Voltmeter, Frequency Meter
Frequency: 50/60Hz

HDSD606 Single-phase Watt-hour Meter



HDSD606

Current specification: 1.5(6)A, 2.5(10)A, 5(20)A, 5(30)A, 10(40)A, 15(60)A, 20(80)A, 10(100)A
Connection Type: Single-phase
Accuracy: Class 1
Frequency: 50/60Hz

HDT(S)S606 Three-phase Four-wire Watt-hour Meter



HDT(S)S606

Current specification: 1.5(6)A, 3(6)A, 5(20)A, 5(40)A, 5(60)A, 20(80)A, 10(100)A
Connection Type: Three-phase Four-wire
Accuracy: Class 1
Frequency: 50/60Hz

HLMK Current Transformers



HLMK

Rated primary current: 30A-5000A
Rated secondary current: 5A
Maximum rated voltage: 0.66kV
Accuracy class: 0.5, 1.0
Frequency: 50Hz

Durable devices for accurate monitoring of a wide range of electrical parameters

Himel offers a range of Digital Panel Meters, Electronic Watt-hour Meters, and Current Transformers for homes, offices, commercial setups, and industries. Our metering offers ensure optimization of electricity cost, increased process efficiency and safety even in longer equipment working hours.

VOLTAGE STABILIZERS

Keep Your Appliances Safe at Affordable Prices



HTND Servo type Voltage Stabilizers



HTND



HTND2



HTND3

Rated capacity: 0.5~30kVA

Regulation type: servo motor type

HAVRL Relay type Voltage Stabilizers



HAVRL

Rated capacity: 0.5-10kVA

Regulation type: relay type

HSVCB Servo type wall-mounted Voltage Stabilizers



HSVCB

Rated capacity: 3-10kVA

Regulation type: servo motor type

Installation method: wall-mounted

HSJW Three-phase AC Voltage Stabilizers up to 60kVA



HSJW

Rated capacity: 1.5-60kVA

Regulation type: servo motor type

HAVRB Relay Type Wall-Mounted Voltage Stabilizer



HAVRB

Rated Capacity: 1-12kVA

Regulation Type: Relay Type

Installation Method: Wall-mounted

HSBW Three-phase AC Voltage Stabilizers up to 2000kVA



HSBW

Rated capacity: 10-2000kVA

Regulation type: servo motor type

Himel Stabilizers are perfect guard for your equipment

Himel Single-phase and Three-phase Voltage Stabilizers with ranges up to 30 kVA and 2000 kVA respectively provide a robust performance in wide input range for efficient output voltage correction. The compact design allows them to fit into a wide variety of spaces in homes, offices and commercial setups. The Voltage Stabilizers from Himel are time-proven to perform in extremely undulated and supply voltage variations ensuring complete safety to the electrical equipment.

MOTOR MANAGEMENT

Products of Today, Ready for Tomorrow



HDC3 AC Contactors



HDC3

Rated Current: 6 ~630A
Pole: 3P

HJX2-F 4P AC Contactors



HJX2-F 4P

Rated current: 115-800A
Pole: 4P

HDR3s Thermal Overload Relays



HDR3s

Frame Rated Current: 25 , 38 , 93 , 120~630A
Setting current: 0.1-93A

HDC17K Miniature AC Contactors



HDC17K

Rated current: 6-12A
Pole: 3P/4P

HJX2 4P AC Contactors



HJX2 4P

Rated current: 9-95A
Pole: 4P

HDZ3 Contactor Relays



HDZ3

Pole: 3P

HDP6 Motor Circuit Breakers



HDP6

Frame rated current: 32/80A
Setting Current : 0.1-0.16A,..., 24-32A, 40-80A

EXPERT Standard Variable Speed Drives



EXPERT Standard

Advanced General-Purpose Applications

MOTOR MANAGEMENT

HDS3 Magnetic Starters



HDS3

Frame current: 38A, 95A
Rated current: 09-95A
Protection level: IP54

SOLAR Variable Speed Drives



SOLAR

BASIC & EXPERT Soft Starters



BASIC



EXPERT

SMART Pump Solar Variable Speed Drives



SMART Pump

Pumps, fans and chillers

BASIC Series Variable Speed Drives



BASIC

Small and simple general-purpose applications

Complete spectrum of Motor Management products

With Himel Variable Speed Drives, Soft Starters, Contactors, and Relays; cost-efficient and robust motor management is achievable. The range of Motor Control and Protection products are affordable, tested against international safety standards, and provide convenient installation that keeps applications running at optimal levels with protection against overload, phase loss and short circuit.

CONTROL COMPONENTS

Achieve Optimal Results with Himel



HLAY5 Pushbuttons, Switches and Pilot Lights



HLAY5

Degree of protection: IP40 (IP65 with protective cover)

Material: Plastic/ Metal

Drilling or cut-out for mounting: Ø 22mm

HLAY5CS Control Stations



HLAY5CS

Compatible with HLAY5 pushbutton and switches Ø 22mm

HLAY7 Pushbuttons, Switches and Pilot Lights



HLAY7

Degree of protection: IP50

Material: Plastic

Drilling or cut-out for mounting: Ø 22/25/30mm

HLD11 Pilot lights



HLD11

Degree of protection: IP65

Step-down type: Resistance/ Capacitance

Specification: AC/DC: 6V/12V/24V/36V/48V/110V/220V /230V/380V AC: 220V, 230V, 380V

Miniature Relays



HDZ9

Rated current:

3A, 5A, 10A

Pole:

2P/3P/4P

Maximum Rated voltage:

690V



HJSZ3

Rated Voltage:

AC 120, 240, 400V

DC 125, 250V

Delay after power-on :

0.05s-24h,

Delay after power-off :

0.1s-30M



HXJ9

Rated voltage : 380, 400V

Overvoltage : 380-460V, 400-480V

Undervoltage : 300-380V, 320-400V

HKG Digital Time Switches



HKG

Rated control voltage:

HKG316T: 230/400V AC

HKG316TD: 230/380V AC

HDJS18 Time Relays



HDJS18

Rated conventional thermal current: 10A

Control voltage: AC: 220V, 110V (customized),
380V (customized)

AC/DC: 24V

Time delay: 5s, 10s, 30s, 60s, 120s, 180s, 360s, 480s

Time-delay method: Switch-on delay, off delay

CONTROL COMPONENTS

HXC Limit Switch



HXCCKM



HXCCKP



HXCKD



HXCMP

HDK Switch Mode Power Supplies



HDK-US

Rated Power: 35W, 50W, 75W, 100W, 150W, 200W, 350W

AC Input Voltage: 35~150W: 100-264V

Output Voltage: 5V, 12V, 24V, 36V, 48V



HDK-NS

Rated Power: 75W, 120W, 240W, 480W

AC Input Voltage: 100-240V

Output Voltage: 75W & 120W: 12V, 24V, 36V, 48V

240W & 480W: 24V, 48V

HBK Control Transformers



HBK

Rated voltage up to 1200V

Rated capacity: 25VA~20kVA

HICF Axial Fan




HICF

220V AC at 50/60 Hz; DC12V; DC24V

Double ball bearing and oil bearing;

Accessories: Metal protection net, filter net, three in one dustproof net

Terminal Blocks



HICTUK



HTB010



HTB112



HTB007

General connection terminals

Grounding connection terminals

Fuse modular connection terminals

Double level connection terminals

Accessories

HCF Cable Connectors



HCF

Thread specification: Metric Standard/ Germany Standard

Material: Nylon 66

Installation: Standard threaded hole

Color: Black/ Grey

Industrial Plugs & Sockets



HIPS series industrial plugs & sockets



HD series industrial plugs & sockets

Achieve cost efficient control of electrical operations

Himel offers a range of Control Components including Digital Time Switches, Switch Mode Power Supplies, Control Transformers, Axial Fans, Industrial Plugs and Sockets, and DIN rails; suitable for general purpose use providing full line of protection, control, and sensing devices.

POWER FACTOR CORRECTION

Complete Protection, Every time



HDCAP3 Low-voltage Capacitor



HDCAP3

Rated Operating Voltage: AC 400V, 450V, 480V, 525V
Rated Capacity: 1~30kvar
Connection Type: Three-phase
Rated Frequency: 50Hz/60Hz
Appearance: Cylinder
Inside Dipping Material: Polypropylene Metallized Film
Ambient Temperature: -25°C ~+50°C
Certificates: CE, TUV

HJKF Reactive Power Compensation Controller



HJKF

Rated operating voltage: AC400V ($\pm 15\%$)
Rated current: $\leq 5A$
Output Loops: 12 loops
Four running output modes: circulate switching, coding switching, cut-on first and then cut-off, optimization switching
Frequency: 50 / 60Hz

HBSM Low-voltage Capacitor



HBSM

Rated Operating Voltage: AC 230V, 250V, 280V, 400V, 415V, 440V, 450V, 480V, 525V, 660V
Rated Capacity: 0.5~60kvar
Connection Type: Single-phase, three-phase, three-phase four-wire
Rated Frequency: 50Hz
Appearance: Box
Inside Dipping Material: Polypropylene Metallized Film
Ambient Temperature: -25°C ~+50°C

HKSG Three-phase Serial Reactor



HKSG

Rated Operating Voltage: AC0.48kV, AC0.525kV
Detuning: 7% and 14%
Connection Type: Three-phase
Rated Frequency: 50Hz

HJKL Reactive Power Compensation Controllers



HJKL

Sampling voltage: AC 380V/220V $\pm 15\%$
Sampling current: n/5A ($I_s \leq 5A$)
Output loops: 4, 6, 8, 10, 12 loops

HDC19s Capacitor Switching Contactor



HDC19s

Rated Operating Voltage: 380/400V
Frame Current: 25A, 32A, 43A, 63A, 95A, 115A
Poles: 3P
Rated Frequency: 50Hz, 50/60Hz
Coil Voltage: 24V, 36V, 48V, 110V, 127V, 220/230V, 240V, 380/400V, 415V, 440V
Certificate: CE

Improve power quality with best-in-class reliability

Himel offers Low-Voltage Capacitors, Capacitor Switching Contactors, Reactive Power Compensation Controllers, and Three-phase Serial Reactors for diverse installation architecture, extending the life of machines and components, and ensuring significant savings on active energy.

HOME ELECTRIC

Simplifying your Life



Modern Series Wiring Devices



2Pin, German & French
Number of Gang: Up to 3
Rated current: 10AX

Floor Series Wiring Devices



American, International, British
Euro, 3Pin, 2Pin
Device presentation: box and module separated
Number of modules: Up to 6

Curvo Series Wiring Devices



2Pin, German & French
Number of Gang: Up to 2
Rated current: 10A/16A

Extension Sockets Accessories and Tools



Socket Outlet Standard: British & Universal
Standard: BS1363 & IEC60884
Cable length: 3M 5M

BLISS Series Wiring Devices



2Pin, European, International
Device presentation: plate and module separated
Number of gang: up to 6
Rated current: 10A / 16A / 20A / 32A/45A

Weatherproof Series Accessories and Tools



Waterproof and Dustproof
IP Level: IP12 and IP55
Color: 6 colors and 2 finishes
Material: ABS & PS

HOME ELECTRIC

Tool Series Accessories and Tools



Enhance the way you work

Electrical Tape Accessories and Tools



Flame retardant material
Available in a range of sizes and colors

Cable Ties Accessories and Tools



Color: Black / White / Colorful
Material: Nylon 66
Tensile strength (LBS): 18 / 40 / 49
Max bundle diameter: 22 / 35 / 50 / 65 / 82 / 90

Smart Series Home Accessories



Socket Outlet Standard: British, Euro, American
Remote control: Himel APP
Voice control: Google Home / Amazon Alexa

A wide range of products for all your Home Electric needs

Safe homes make happy homes something you and your family deserve. Himel's Home Electric products offer world-class quality, security and convenience. From trendy switches and sockets to easy-to-install accessories for electricians, our products provide the peace of mind you need.



We are determined to build a world where electricity is safe and accessible to one and all

Himel is a global manufacturer and supplier of electric products for Low Voltage Power Distribution, Final Distribution, Power Management, Motor Control and Protection, Industrial Components, and Home Electric offers.



50+
countries served

110+
distributors

6,700+
resellers

22,700+
products



RESIDENTIAL



COMMERCIAL



INDUSTRIAL



UTILITIES

With a footprint in 50+ countries—we are leaders in value-engineered electric products for residential, commercial, industrial, and utilities sectors. We value opportunities for all and provide the best combination of affordable and reliable offers to meet the demand for access to safe electricity.



CONTACT US



Get in touch with Himel Team at
<https://www.himel.com/contact-us>



Find Al-Asasyah the local Himel Distributor at
<https://www.al-asasyah.com>



Visit Himel website at
<https://www.himel.com>



Reach al-asasyah Team at
himel@al-asasyah.com



Himel
www.himel.com

2023-2024



سر تفوقنا ثقتكم بنا منذ 1961

Al-Asasyah
www.al-asasyah.com

2023-2024